

# Safety Data Sheet

## Acid Drain Opener

### SECTION I - IDENTIFICATION

	House of Chemicals 304 N Chadbourne St San Angelo, TX 76903 (325) 655-8376 CHEMTREC :..... (800) 424-9300
---	---

Product Number	1016,1017
Product Name	Acid Drain Opener
Chemical Family	
CAS Number	7664-93-9
Date Prepared	3/5/2015
Revision Number	9/11/2020
Recommended Use	Sewer Drain Opener

### SECTION II - HAZARDOUS IDENTIFICATION

#### GHS CLASSIFICATION:

##### Classification

Corrosive to Metals	Category 1
Skin Corrosion/Irritation	Category 1A, B, C
Serious Eye Damage/Eye Irritation	Category 1

#### DANGER!

#### GHS LABEL:



#### Hazard Statements

H290	May be corrosive to metals
H314	Causes severe burns and eye damage
H318	Causes serious eye damage

# Safety Data Sheet

## Acid Drain Opener

### Precautionary Statements

P234	Keep only in original packaging
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash... thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment (see ... on this label).
P363	Wash contaminated clothing before reuse.
p390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in a corrosive resistant/... container with a resistant inner liner.
P501	Dispose of contents/container to...

### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Sulfuric Acid	7664-93-9		1 mg/m <sup>3</sup> (Ceiling)	1 mg/m <sup>3</sup> (Ceiling)

### SECTION IV - FIRST AID MEASURES

**Contact with eyes:** Flush with water for 15 minutes. Seek immediate medical attention.

**Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Do not induce vomiting. Seek immediate medical attention.

## Safety Data Sheet

### Acid Drain Opener

#### SECTION V - FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, foam, CO<sub>2</sub>, dry chemical.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** Contact with reactive metals can generate hydrogen gas, which is flammable. Water mixed with acid evolves extreme heat and can cause spattering.

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Evacuate all unprotected personnel from the area.

**Environmental Precautions:** Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Notify proper authorities.

**Methods for Cleaning Up:** Cover with sodium bicarbonate or a soda ash/slaked lime mixture (50/50). Mix and add water if necessary to form a slurry and complete neutralization. Scoop up slurry and wash site with soda ash solution.

#### SECTION VII - HANDLING AND STORAGE

**Handling and Storage:**

- Keep containers tightly closed when not in use.
- If current ventilation practices are not adequate to maintain airborne concentrations below the established exposure limits, additional ventilation or exhaust systems may be required.

#### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

##### EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Sulfuric Acid	7664-93-9	1 mg/m <sup>3</sup> (Ceiling)	1 mg/m <sup>3</sup> (Ceiling)

**Engineering Controls:** Adequate local or mechanical ventilation to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Follow accepted work practices for handling a corrosive material.

##### Personal Protective Equipment (PPE)

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

## Safety Data Sheet

### Acid Drain Opener

**Skin Protection:** Impervious solvent resistant gloves. Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

#### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear to slightly hazy liquid
Odor	Sulfuric odor
pH@25°C	1.0 - 2.0 (1% in water)
Melting/Freezing Point	No Data Available
Flashpoint	No Data Available
Specific Gravity	1.836
Solubility	Soluble
Auto-Ignition Temperature	No Data Available
Decomposition Temperature	No Data Available
VOC Content	No Data Available
Odor Threshold	
Boiling Range	530°F
Evaporation Point	< 1 (Butyl Acetate = 1)
Flammable Limits - Upper	No Data Available
Flammable Limits - Lower	No Data Available
Vapor Pressure	< 1 mmHg @ 20°C
Vapor Density (Air=1)	3.4
Viscosity	No Data Available

#### SECTION X - STABILITY AND REACTIVITY

**Stability:** Stable

**Conditions to Avoid:** Material is very corrosive and will attack most metals and evolve hydrogen gas.

**Hazardous Decomposition/Byproducts:** Reaction with reactive metals may produce flammable hydrogen; reaction with bases can be violent and produces extreme heat.

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None

**Incompatibilities:** Strong Oxidizers and bases  
Metals

## Safety Data Sheet

### Acid Drain Opener

#### SECTION XI - TOXICOLOGICAL INFORMATION

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** Can cause damage to nasal and respiratory passages.

**Eye Contact:** Will cause severe burns on contact and will damage the eyes.

**Skin Contact:** Causes burns, possible deep ulceration.

**Ingestion:** Causes severe damage to mucous membranes and deep tissues, a result in death on penetration to vital areas.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.

**Toxicity:**

Component Name	LD50	LC50
Sulfuric Acid	Oral - rat - 2140 mg/kg	Inhalation - mouse - 320 mg/m <sup>3</sup> /2H; Inhalation - rat - 51-

**Reproductive Effects** Not Applicable

**Teratogenicity** Not Applicable

**Mutagenicity** Not Applicable

**Embryotoxicity** Not Applicable

**Sensitization to Product** Not Applicable

**Synergistic Products** Not Applicable

**Carcinogenicity** Not Applicable

#### SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

## Safety Data Sheet

### Acid Drain Opener

**Degradability:** Information not available.

**BioAccumulation:** Information not available.

#### SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

#### SECTION XIV - TRANSPORT INFORMATION

##### DOT SHIPPING INFORMATION

**Proper Shipping Name:** Sulfuric Acid

**Contains:**

**Hazard Class and Label:** 8

**Identification Number:** UN1830

**Packaging Group:** II

**Other Shipping Info:**

#### SECTION XV - REGULATORY INFORMATION

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

##### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)	TPQ (lbs.)
Sulfuric Acid	7664-93-9	93%		1,000

##### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X	X			X

##### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

##### CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)
Sulfuric Acid	7664-93-9	93%	1,000

##### CALIFORNIA PROPOSITION 65:

## Safety Data Sheet

### Acid Drain Opener

No chemicals in this material are subject to the reporting requirements.

#### SECTION XVI - OTHER INFORMATION

HMIS Health: ..... 3

HMIS Flammability: ..... 0

HMIS Reactivity: ..... 2

Additional:

#### Specification Information

Department issuing data sheet:

Email address: houseofchemicals1965@gmail.com

Training necessary:

Disclaimer: