# Safety Data Sheet

Stylist Spray Buff

SECTION I - IDE		INTIFICATION
HOUSE OF CHEMICALS		House of Chemicals 304 N Chadbourne St San Angelo, TX 76903 (325) 655-8376 CHEMTREC :
Product Number	193	
Product Name	Stylist Spray Buff	
Chemical Family		
CAS Number	Multiple	

CAS NumberMultipleDate Prepared1/28/2016Revision Number9/11/2020Recommended UseFloor maintenance

### SECTION II - HAZARDOUS IDENTIFICATION

### **GHS CLASSIFICATION:**

<u>Classification</u>
Sensitization, Skin
Serious Eye Damage/Eye Irritation
Sensitization, Respiratory

Category 1 Category 2B Category 1

## DANGER!

### GHS LABEL:



### **Hazard Statements**

H317	May cause an allergic skin reaction
H320	Causes eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary	Statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P302+352	IF ON SKIN: Wash with plenty of water/
P304+340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P321	Specific treatment (see on this label).
P333+313	If skin irritation or a rash occurs: Get medical advice/attention.
P337+313	If eye irritation persists get medical advice/attention.
P342+311	If experiencing respiratory symptoms Call a POISON CENTER or doctor/physician.
P362+364	Take off immediatley all contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to

### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Isopropyl Alcohol	67-63-0	2	400 ppm	200ppm (TWA)
Dipropylene Glycol Methyl Ether	34590-94-8	3	100 ppm	100 ppm

### SECTION IV - FIRST AID MEASURES

Contact with eyes:	Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get medical attention if irritation persists.
Skin contact:	Wash exposed areas with water and mild soap. Remove contaminated clothing immediatelyand launder before reuse. If irritations persist, seek immediate medical attention.
Inhalation:	Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.
Ingestion:	If swallowed. Do not induce vomiting. Seek immediate medical attetntion.

#### **SECTION V - FIREFIGHTING MEASURES**

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures	This is a water-based material and will not burn until all water has been driven off. Cool exposed containers with water spray. Should the residual solids catch fire, use NIOSH/MSHA approved self-contained full-face positive pressure breathing apparatus.
Unusual Fire Fighting Hazards:	Firefighters should observe all precautions that apply to any fire wherer chemicals are stored

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** 

Environmental Precaution	ns: Recycle if feasible. Incinerate in authorized facility. Abide by Federal, State, and Local regulations
Methods for Cleaning Up	: Recover with pumping equipment, vacuum truck, sorbent, vermiculite or other means. Place contaminated material in suitable container for futher handling.
	SECTION VII - HANDLING AND STORAGE
Handling and Storage:	<ul> <li>Keep containers tightly closed when not in use.</li> </ul>

• Store out of direct sunlight and in a cool, well-ventilated area.

#### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

#### **EXPOSURE LIMITS:**

Component Name	CAS #	OSHA PEL	ACGIH TLV
Isopropyl Alcohol	67-63-0	400 ppm	200ppm (TWA)
Dipropylene Glycol Methyl Ether	34590-94-8	100 ppm	100 ppm

**Engineering Controls:** Use this product in a well ventillated area.

Monitoring: Wash thoroughly after handling product.

#### **Personal Protective Equipment (PPE)**

- **Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.
- Skin Protection: Protective gloves, rubber or PVC

**Respiratory Protection:** If necessary, a MSHA/NIOSH full-face respirator is recommended.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	Translucent Liquid	
Odor	Mild	
pH@25°C	8-10	
Melting/Freezing Point		
Flashpoint	> 200°F	
Specific Gravity	0.995	
Soluability	Miscible	
Auto-Ignition Temperature		
Decomposition Temperature		
VOC Content		
Odor Threshold		
Boiling Range	212°F	
Evaporation Point	<1	
Flammable Limits - Upper		
Flammable Limits - Lower		
Vapor Pressure	1	
Vapor Density (Air=1)		
Viscosity		

#### SECTION X - STABILITY AND REACTIVITY

Stability:

Stable

**Conditions to Avoid:** 

High temperatures Chlorine and Oxidizers Keep from freezing.

Hazardous Decomposition/Byproducts: CO, CO2, and noxious smoke under extreme fire conditions

Hazardous Polymerization:

Polymerization Conditions to Avoid:

Incompatibilities:

Oxidizing agents

SECTION XI - TOXICOLOGICAL INFORMATION

## Likely Route of Exposure:

Inhalation:	May cause irritation to respiratory system, headache, dizziness, nausea, diarrhea.
Eye Contact:	Eye contact may be slightly irritating
Skin Contact:	May cause irritation, possible dermatitis given repeated or prolonged skin contact.
Ingestion:	May cause gastrointestinal irritaion with nausea, vomiting, diarrhea, drowsiness.
Acute Toxicity Value:	

# Chronic (Long Term) Effects:

### Toxicity:

Component Name	LD50	LC50
Isopropyl Alcohol	Oral - Rat - 5,045 mg/kg - Dermal - Rabbit - 12,800 mg/kg	Inhalation - Rat - 8 h - 16000 ppm
Dipropylene Glycol Methyl Ether	Oral - Rat - 5,152 mg/kg	Not Established

Reproductive Effects	Not Applicable
Teratogenicity	Not Applicable
Mutagenicity	Not Applicable
Embryotoxicity	Not Applicable
Sensitization to Product	Not Applicable
Synergistic Products	Not Applicable
Carcinogenicity	No

### SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: No information

Mobility:

Degradability:

**BioAccumulation:** 

### SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, State, and Local regulations.

### SECTION XIV - TRANSPORT INFORMATION

### DOT SHIPPING INFORMATION

Proper Shipping Name: Contains: Hazard Class and Label: Identification Number: Packaging Group: Other Shipping Info: This product is Not Regulated

### SECTION XV - REGULATORY INFORMATION

### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
Х	Х			

### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

Component Name	CAS #	% by wt.
Glycol Ether	Not Available	3

### CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

## **CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION				
HMIS Health:1HMIS Flammability:0HMIS Reactivity:0				
Additional:	The health hazards given on this Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of ocver exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use. 1. N/A= Not Applicable 2, PMCC=Pensky Martin Closed Cup			
Specification Information				
Department issuing data sheet:				
Email address:	houseofchemicals1965@gmail.com			
Training necessary:				
Disclaimer:				